

Spare parts and accessories for ICS 25-65	Description	Qty.	Code No.	
	<b>ICS 25</b> <b>Function module, fig. 1</b> (including gasket and O-rings)			
	Pos. 3 ICS 25-5	1	<b>027H2201</b>	
	Pos. 3 ICS 25-10	1	<b>027H2202</b>	
	Pos. 3 ICS 25-15	1	<b>027H2203</b>	
	Pos. 3 ICS 25-20	1	<b>027H2204</b>	
	Pos. 3 ICS 25-25	1	<b>027H2200</b>	
	<b>ICS 32</b> <b>Function module, fig. 1</b> (including gasket and O-rings)			
	Pos. 3 ICS 32	1	<b>027H3200</b>	
	<b>ICS 40</b> <b>Function module, fig. 1</b> (including gasket and O-rings)			
	Pos. 3 ICS 40	1	<b>027H4200</b>	
<b>ICS 50</b> <b>Function module, fig. 1</b> (including gasket and O-rings)				
Pos. 3 ICS 50	1	<b>027H5200</b>		
<b>ICS 65</b> <b>Function module, fig. 1</b> (including gasket and O-rings)				
Pos. 3 ICS 65	1	<b>027H6200</b>		
<b>Disassembly kit, fig. 1</b>				
Pos. 3a, 3b, 4, 7, 10 ICS 25	1	<b>027H2222</b>		
Pos. 3a, 3b, 4, 7, 10 ICS 32	1	<b>027H3222</b>		
Pos. 3a, 3b, 4, 7, 10 ICS 40	1	<b>027H4222</b>		
Pos. 3a, 3b, 4, 7, 10 ICS 50	1	<b>027H5222</b>		
Pos. 3a, 3b, 4, 7, 10 ICS 65	1	<b>027H6222</b>		
<b>Manual spindle, fig. 1</b>				
Pos. 7, 8 ICS 25	1	<b>027F2130</b>		
Pos. 7, 8 ICS 32	1	<b>027F2130</b>		
Pos. 7, 8 ICS 40	1	<b>027F2130</b>		
Pos. 7, 8 ICS 50	1	<b>027F2130</b>		
Pos. 7, 8 ICS 65	1	<b>027F2130</b>		
<b>Blank top cover, fig. 2</b> (including bolts and gasket)				
ICS 25		<b>027H2174</b>		
ICS 32		<b>027H3174</b>		
ICS 40		<b>027H4174</b>		
ICS 50		<b>027H5174</b>		
ICS 65		<b>027H6174</b>		

Pos. 1, 2, 5, 8, 9 and 10 can be ordered separately (see ICS technical leaflet - RD4YA)

Fig. 1, ICS 25-65




Fig 2, Blank top cover

Spare parts and accessories for ICS 25-65	Description	Qty	Code no.
	<b>External pilot connector</b> Weld, ID 12.7 mm/OD 18 mm		<b>027F1048</b>
	Nipple assembly	1	
	Damping orifice, dia. 1.0 mm	1	
	O-ring and gasket	1	
	1/4 FPT		<b>027B2065</b>
	Nipple assembly	1	
Damping orifice, dia. 1.0 mm	1		
O-ring and gasket	1		
	<b>Seal kit for external pilot connector</b>		<b>027F1004</b>
	Alu gasket	4	
	Gasket	4	
	O-ring	4	
	<b>Blanking plug, fig 1 (pos. 6, 6a and 6b)</b>		<b>027F1046</b>
	Plug	1	
	Stop plug	1	
	O-ring	1	
	Gasket	1	
	<b>Pressure gauge connector, solder/weld</b>		<b>027F2035</b>
	Nipple assembly	1	
	Alu gasket	1	
	<b>Seal kit for solder/weld pressure gauge connector</b>		<b>027B2029</b>
	Alu gasket	10	
	Alu gasket	10	
	<b>Pressure gauge connector cutting ring connector</b>		
	6 mm	1	<b>027B2063</b>
	10 mm	1	<b>027B2064</b>
	<b>Pressure gauge connector, 1/4 NPT</b>	1	<b>027B2062</b>
	<b>Pressure gauge connector, flare</b> (Must not be used in ammonia systems!)		<b>027B2041</b>
	Nipple	1	
	Schraeder valve	1	
	Cap	1	
	Alu gasket	1	
	<b>CVH pilot valve body</b> weld ID 12.7 mm/OD 18 mm	1	<b>027F1047</b>
	<b>CVH pilot valve body</b> G 1/4 (ISO 228-1)	1	<b>027F1160</b>
	<b>CVH pilot valve body</b> G 1/4 (USAS B2.1-1960)	1	<b>027F1159</b>
	<b>Damping orifice</b> Dia. 1.0 mm	10	<b>027F0664</b>